



Micro Green Plus

DIRECTIONS FOR USE:
SHAKE BEFORE USING.

Greens and Tees: Apply 3-9 ounces per 1,000 sq. ft. as a foliar spray every 5-7 days.

Fertigation: Apply 3-9 ounces per 1,000 sq. ft. in fertigation as needed.

Trees and Ornamentals: Apply at a rate of 2-4 quarts per 100 gallons of water as a foliar spray. Repeat as needed.

WARNING

Overapplication or excessive use of boron, or use on crops other than those listed, can result in boron toxicity. This may cause foliar damage or serious crop injury.

This fertilizer contains molybdenum (Mo). The application of fertilizer materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

Dispose of Waste Material according to local, state, and federal environmental laws and regulations.

Storage: Keep container sealed tightly when not in use. Do not expose to sunlight for long periods of time. Store in temperatures between 5°C (41°F) and 25°C (77°F).

Precautions: Avoid getting in eyes or on skin. The use of side shield safety glasses and gloves is recommended. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, remove contaminated clothing. Wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water for 15 minutes. If irritation persists, obtain medical attention. See SDS for further information.

Lot #:

Net Contents: Size / Weight

2.5 gl/28.25 lbs 5 gl/56.50 lbs 30 gl/339 lbs 55 gl/621.50 lbs 275 gl/1,107.50 lbs

GUARANTEED ANALYSIS:

Magnesium (Mg).....	1.00%
1.00% Water Soluble Magnesium	
Sulfur (S).....	4.00%
4.00% Combined Sulfur	
Iron (Fe).....	5.00%
5.00% Water Soluble Iron	
Manganese (Mn).....	0.75%
0.75% Water Soluble Manganese	
Zinc (Zn).....	0.01%
0.01% Water Soluble Zinc	
Boron as (B).....	0.01%
Molybdenum as (Mo).....	0.005%

Derived from: Magnesium Sulfate, Iron Glucoheptonate, Manganese Glucoheptonate, Zinc Glucoheptonate, Sodium Borate, and Sodium Molybdate

Manufactured by:



**UAS of America, Inc. - 534 CR 529A Lake Panasoffkee,
FL 33538 - (352)-793-1682 - www.cropmaster.com
F001142**

CAUTION: KEEP OUT OF REACH OF CHILDREN

Conditions of Sale: UAS of America Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, product use ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of UAS of America Inc. In no case shall UAS of America Inc. or it's be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the buyer /end user. UAS of America Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Disclaimer: Highly Concentrated, Do Not Over Apply. Never Mix Concentrates Directly together. It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trial application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended. Always read label instructions. When adding into the tank: fill tank first with water then add in CropMaster product while tank is circulating.