

pHorus 0-31-23™

A Potassium Phosphonate concentration of Phosphorus and Potash, along with a balanced potash source, is vital for seed formation and development. Ideal for bud and fruit formation on fruit trees at a pH range of 6.3 - 6.5 and can also be used for vegetables during bloom period or fruit formation.

Phosphate is derived 100% from H₃PO₃.

STORAGE

Keep container sealed tightly when not in use. Do not expose to sunlight for long periods of time. Store in temperatures between 5 C (41 F) and 25 C (77 F).

Dispose of Waste Material according to local, state, and Federal environmental laws and regulations.

MIXING INSTRUCTIONS

Because of the nature of high phosphate care should be taken when mixing with humic acid and or Calcium products. Always do a jar compatibility test before mixing any two products other than water in your tanks.

DISCLAIMER

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the user's responsibility to conduct a trial application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water. If irritation persists, obtain medical attention.

**Ingestion: If patient is conscious, give large quantities of water. Do not induce vomiting. Call physician.*

"COMMERCIAL USE ONLY"

UAS Of America, Inc.
534 CR 529 A
Lake Panasoffkee, Florida 33538
Tel 352-793-1682 | Fax 352-793-4864
www.uasofamerica.com

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	0.000%
Available Phosphate (P205)	31.000%
Soluble Potash (K2O)	23.000%

Derived from: Phosphorous Acid and Potassium Phosphite.

COMPATIBILITY

A jar compatibility test is recommended before mixing with any other product other than water in the tank to insure compatibility with foreign spray mixes. Not compatible with High concentrated Calcium carbon or low pH mixes.

APPLICATION

Row Crops: Mix 1-2 pint(s) with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. Apply at blooming stage with another application during fruit formation.

Tree Crops: Mix 1-2 quart(s) with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. Apply at blooming stage with another application during fruit formation.

Not recommended to be used with fungicides, pesticides, or oils. If applied with a fungicide, oil, or pesticide, it is the users/applicator's responsibility to conduct a small trial application on the crop(s) to be sprayed, with this mix of chemicals, to determine compatibility of products and compatibility with crop(s) sprayed.

WARRANTY

BUYER ASSUMES ALL RESPONSIBILITY FOR USE, STORAGE, HANDLING AND DISPOSAL OF THIS PRODUCT WHEN NOT IN ACCORDANCE WITH LABEL DIRECTIONS. UAS OF AMERICA, INC AND ITS DISTRIBUTOR'S LIMIT OF WARRANTY EXTENDS ONLY TO REPLACEMENT OF DEFECTIVE PRODUCT.